Author Index

Aarden L. *see* Van Lier R.
Abou-Zeid C. *see* Filley E.
Abraham G.N. *see* Perl A.
Abramow-Newerly W. *see* Anderson S.K.
Aked D.M. *see* Foster S.J.
Albert J. *see* Mathiesen T.
Alessi A. *see* Almerigogna F.
Allen A.K. *see* Flanagan B.F.
Almerigogna F., Giudizi M.G., Biagiotti R., Alessi A., Defrance T., Banchereau J., Ricci M. & Romagnani S. Analysis of the B-cell growth-promoting activity of human IL-4 in the co-stimulatory assay with anti-immunoglobulin antibodies. Comparison with the B-cell growth-promoting activity of other lymphokines, 244
Anderson S.K., Hong K.K.Y., Hoskin D.W., Abramow-Newerly W., Fulop G.M., Phillips R.A., Hozumi N. & Roder J.C. Murine lymphocytes with natural killer activity express CTL-derived serine protease genes, 269
Arias P. *see* Franco F.J.
Askonas B.A. *see* MacKenzie C.D.
Austin E.B., Robins R.A., Durrant L.G., Price M.R. & Baldwin R.W. Human monoclonal anti-idiotypic antibody to the tumour-associated antibody 791T/36, 525

Bahr G.M., Eales, L.-J., Nye K.E., Majeed H.A., Yousof A.M., Behbehani K. & Rook G.A.W. An association between Gc (vitamin D-binding protein) alleles and susceptibility to rheumatic fever, 126
Baker D. *see* Wilcox C.E.
Baker K.C. *see* Kilshaw P.J.
Baldwin R.W. *see* Austin E.B.
Banchereau J. *see* Almerigogna F.
Banga J.P., Doble N., Tomlinson R.W.S. & McGregor A.M. Thyroid microsomal/thyroid peroxidase autoantibodies show discrete patterns of cross-reactivity to myeloperoxidase, lactoperoxidase and horseradish peroxidase, 197
Barcia M. *see* Franco F.J.
Bazin H. *see* MacDonald, A.J.
Beard R. *see* Lehner T.
Beatty P.G. *see* Dobrina A.
Behbehani K. *see* Bahr G.M.
Beladi I. *see* Mandi Y.
Benzie R. *see* Kay J.E.
Bergmeier L. *see* Lehner T.
Biagiotti R. *see* Almerigogna F.
Bickle Q.D. *see* Vignali D.A.A.
Bleasdale K. *see* Fukuma N.
Bloch K.J. *see* Harmatz P.R.
Bloemena E. *see* Van Lier R.
Bogers W.M.J.M., Gorter A., Stuurman M.E., Van Es L.A. & Daha M.R. Clearance kinetics and tissue distribution of aggregated human serum IgA in rats, 274
Bolton E.J. *see* Quint D.J.
Bradbury J. *see* Fukuma N.
Bradley D. *see* Williamson J.S.P.
Brannan L.R., Chappell L.H., Woo J. & Thomson A.W. Anti-schistosomal activity of cyclosporin A; studies on murine spleen cells and the influence of a cyclosporin antagonist on resistance to infection, 382
Braquet P. *see* Mandi Y.
Broliden P.-A. *see* Mathiesen T.
Brouwer M. *see* Van Lier R.
Brown E.J. *see* Godfrey H.P.
Brown I.N. *see* Heath A.W.
Brown M. *see* Harmatz P.R.
Bruijnzeel P.L.B. *see* Koenderman L.

Cairns J.A. *see* Flores-Romo L.
de la Calle O. *see* Ingles J.
Campbell A.K. *see* Scolding N.J.
Canfield L.S. *see* Godfrey H.P.
Carbone A. *see* Valitutti S.
Carlos T.M. *see* Dobrina A.
Carlsten H., Holmdahl R., Tarkowski A. & Nilsson L.-A. Oestradiol suppression of delayed-type hypersensitivity in autoimmune (NZB/NZW) F_1 mice is a trait inherited from the healthy NZW parental strain, 205
Castellino F. *see* Valitutti S.
Cerny J. *see* Strickland F.M.
Chain B.M. *see* Oben J.A.
Champion B.R. *see* Quint D.J.
Chan W.C., Ye G., Link S., Mawle A.C. & Nicholson J.K. CD2 and other surface molecules in the regulation of non-MHC-restricted cytolytic function, 56
Chandra R.K. Nutritional regulation of immunity and risk of infection in old age, 141
Chappell L.H. *see* Brannan L.R.
Chaturvedi U.C. *see* Khanna M.
Chaturvedi U.C. *see* Rizvi N.
Chiodi F. *see* Mathiesen T.
Christophers E. *see* Foster S.J.
Clinque S. *see* Willems J.
Cobbold S. *see* Vignali D.A.A.
Compston D.A.S. *see* Scolding N.J.
Condemi J.J. *see* Perl A.
Cox D.A., Marshall-Clarke S. & Dixon J.B. Activation of normal murine B cells by *Echinococcus granulosus*, 16
Crocker P. *see* Vignali D.A.A.
Cronkhite R.I. *see* Strickland F.M.

Daar A.S. *see* Flanagan B.F.
Daha M.R. *see* Bogers W.M.J.M.
Daha M.R. *see* Gorter A.
Dalchau R. *see* Flanagan B.F.
David C.S. *see* Tarcic N.
Davidson S.E. *see* Peach S.F.
DeBlasio T. *see* Kim Y.T.
Defrance T. *see* Almerigogna F.
Demares M.J. Membrane-associated complement factor H on lymphoblastoid cell lines Raji expresses a co-factor activity for the factor I-mediated cleavage of C3b,553
Devey M. *see* Fukuma N.
Devey M.E. *see* Heath A.W.
Diaz C. *see* Franco F.J.
Dickinson J.L. *see* Halliday G.M.
Divincenzo J.P. *see* Perl A.
Dixon J.B. *see* Cox D.A.
Doble N. *see* Banga J.P.
Dobrina A., Schwartz B.R., Carlos T.M., Ochs H.D., Beatty P.G. & Harlan J.M. CD11/CD18-independent neutrophil adherence to inducible endothelial–leucocyte adhesion molecules (E-LAM) *in vitro*, 502
Dobson C. *see* Opdebeeck J.P.
Dodd M. *see* Lehner T.

DOE S.E.A. *see* KAY J.E.
DÖRMER P. *see* HÜLTNER L.
DURRANT L.G. *see* AUSTIN E.B.

EALES L.-J. *see* BAHR G.M.
ECONOMOU J.S., MCBRIDE W.H., ESSNER R., RHOADES K., GOLUB S., HOLMES E.C. & MORTON D.L. Tumour necrosis factor production by IL-2-activated macrophages *in vitro* and *in vivo*, 514
EGIDO J. *see* GONZÁLEZ E.
ENGEL P. *see* INGLES J.
ESSNER R. *see* ECONOMOU J.S.

FABRE J.W. *see* FLANAGAN B.F.
FARKAS G. *see* MANDI Y.
FILION L.G. *see* STEFANOVIC H.
FILLEY E., ABOU-ZEID C., WATERS M. & ROOK G. The use of antigen-bearing nitrocellulose particles derived from Western blots to study proliferative responses to 27 antigenic fractions from *Mycobacterium leprae* in patients and controls, 75
FLANAGAN B.F., DALCHAU R., ALLEN A.K., DAAR A.S. & FABRE J.W. Chemical composition and tissue distribution of the human CDw44 glycoprotein, 167
FLEER A. *see* VAN BRONSWIJK H.
FLORES-ROMO L., CAIRNS J.A., MILLSUM M.J. & GORDON J. Soluble fragments of the low-affinity IgE-receptor (CD23) inhibit the spontaneous migration of U937 monocytic cells: neutralization of MIF-activity by a CD23 antibody, 547
FOREMAN J.C. *see* OBEN J.A.
FORSYTHE J.L.R. *see* KIRBY J.A.
FOSTER S.J., AKED D.M., SCHRÖDER J.-M. & CHRISTOPHERS E. Acute inflammatory effects of a monocyte-derived neutrophil-activating peptide in rabbit skin, 181
FRANCO F.J., DIAZ C., BARCIA M., ARIAS P., GOMEZ-MARQUEZ J., SORIANO F., MENDEZ E. & FREIRE M. Synthesis and apparent secretion of prothymosin α by different subpopulations of calf and rat thymocytes, 263
FREIRE M. *see* FRANCO F.J.
FUJITA Y. *see* MIYATA T.
FUKUMA N., MCLACHLAN S.M., PETERSEN V.B., KAU P., BRADBURY J., DEVEY M., BLEASDALE K., GRABOWSKI P. & REES SMITH B. Human thyroglobulin autoantibodies of subclass IgG2 and IgG4 bind to different epitopes on thyroglobulin, 129
FULOP G.M. *see* ANDERSON S.K.

GALLART T. *see* INGLES J.
GEARING A.J., METCALF D., MOORE J.G. & NICOLA N.A. Elevated levels of GM-CSF and IL-1 in the serum, peritoneal and pleural cavities of GM-CSF transgenic mice, 219
GERGELY P. *see* PERL A.
GEWURZ H. *see* ZELLER J.M.
GINSBURG I. *see* SHAPIRO D.N.
GIUDIZI M.G. *see* ALMERIGOGNA F.
GODFREY H.P., CANFIELD L.S., HAAK-FRENDSCHO M., MELANCON-KAPLAN J., BROWN E.J. & KAPLAN A.P. Relationship of human macrophage agglutination factor to other fibronectins, 321
GOEBEL W. *see* KÖNIG W.
GOLUB S. *see* ECONOMOU J.S.
GOMEZ-MARQUEZ J. *see* FRANCO F.J.
GONZÁLEZ-CABRERO J. *see* GONZÁLEZ E.
GONZÁLEZ E., GONZÁLEZ-CABRERO J. & EGIDO J. Defective hepatic handling of IgA immune aggregates by mice with experimental IgA nephropathy, 308
GOOD M.F., POWELL L.W. & HALLIDAY J.W. IL-2 and IL-4 can co-modulate the generation of cytotoxic T cells through $CD8^-$ $CD4^-$ splenic lymphocytes, 225
GOODIER M.R. *see* KAY J.E.
GORDON D.L., RICE J.L. & MCDONALD P.J. Regulation of human neutrophil type 3 complement receptor (iC3b receptor) expression during phagocytosis of *Staphylococcus aureus* and *Escherichia coli*, 460
GORDON J. *see* FLORES-ROMO L.
GORTER A., HIEMSTRA P.S., LEIJH P.C.J., VAN DER SLUYS M.E., VAN DEN BARSELAAR M.T., VAN ES L.A. & DAHA M.R. Complement-mediated enhancement of IgA-induced H_2O_2 release by human polymorphonuclear leucocytes, 120
GORTER A. *see* BOGERS W.M.J.M.
GRABOWSKI P. *see* FUKUMA N.

HAAG F. *see* KOCH F.
HAAK-FRENDSCHO M. *see* GODFREY H.P.
HACKER J. *see* KÖNIG W.
HADLEY A.C. & KUMPEL B.M. Synergistic effect of blending IgG1 and IgG3 monoclonal anti-D in promoting the metabolic response of monocytes to sensitized red cells, 550
HAIG D.M. *see* MACDONALD A.J.
HALLIDAY G.M., DICKINSON J.L. & MULLER H.K. Retinoic acid protects Langerhans' cells from the effects of the tumour promotor 12-O-tetradecanoylphorbol 13-acetate, 298
HALLIDAY J.W. *see* GOOD M.F.
HAMASAKI T. *see* TANIGUCHI H.
HARLAN J.M. *see* DOBRINA A.
HARMATZ P.R., BLOCH K.J., BROWN M., WALKER W.A. & KLEINMAN R.E. Intestinal adaptation during lactation in the mouse. I. Enhanced intestinal uptake of dietary protein antigen, 92
HARON J. *see* LEHNER T.
HART D.N.J. *see* MCKENZIE J.L.
HART D.N.J. *see* PEACH S.F.
HASEGAWA T. *see* MIYATA T.
HAUSTEIN D. *see* VOGEL L.
HEALEY D.G. *see* WILCOX C.E.
HEATH A.W., DEVEY M.E., BROWN I.N., RICHARDS C.E. & PLAYFAIR J.H.L. Interferon-gamma as an adjuvant in immunocompromised mice, 520
HEEZIUS H.C.J.M. *see* VAN BRONSWIJK H.
HERTOGS H. *see* SAVION S.
HETHERINGTON S.V. Antibody to the outer membrane proteins is the dominant opsonic antibody in normal human serum against *H. influenzae* type b, 87
HIEMSTRA P.S. *see* GORTER A.
HISSEY P.H. *see* QUINT D.J.
HOLMDAHL R. *see* CARLSTEN H.
HOLMES E.C. *see* ECONOMOU J.S.
HONG K.K.Y. *see* ANDERSON S.K.
HOSKIN D.W. *see* ANDERSON S.K.
HOUGHTEN R.A. *see* MATHIESEN T.
HOUSTEN W.A.J. *see* SCOLDING N.J.
HOZUMI N. *see* ANDERSON S.K.
HSU H.S. *see* LIN F.R.
HÜLTNER L., SZÖTS H., WELLE M., VAN SNICK J., MOELLER J. & DÖRMER P. Mouse bone-marrow-derived IL-3-dependent mast cells and autonomous sublines produce IL-6, 408

IKEZAWA H. *see* MIYATA T.
INAGI R. *see* MIYATA T.
INGLÉS J., ENGEL P., DE LA CALLE O. & GALLART T. Differential responsiveness of human B lymphocytes to phorbol ester and calcium ionophore based on their state of activation, 359
ISLAM L.N. *see* WILKINSON P.C.
ISOBE K. *see* MIYATA T.
ITOH T. *see* SAVION S.
IWAMOTO T. *see* MIYATA T.
IZAGUIRRE C. *see* STEFANOVIC H.

JOHNSON P.M. *see* TAZABWALA B.U.
JOHNSTONE A.P. *see* KING S.L.
JONIAU M. *see* WILLEMS J.

KAKIMOTO K. *see* KAWAKAMI K.
KAPLAN A.P. *see* GODFREY H.P.
KASHAN A. *see* KOCH F.
KASHIWA H. *see* TANIGUCHI H.
KAU P. *see* FUKUMA N.
KAWAKAMI K., KAKIMOTO K., SHINBORI T. & ONOUE K. Signal delivery by physical interaction and soluble factors from accessory cells in the induction of receptor-mediated T-cell proliferation. Synergistic effect of BSF-2/IL-6 and IL-1, 314
KAY J.E., BENZIE R., GOODIER M.R., WICK C.J. & DOE S.E.A. Inhibition of T-lymphocyte activation by the immunosuppressive drug FK-506, 473

KHANNA M., CHATURVEDI U.C., SRINIVASA B.R., SWAMINATHAN K.R. & MATHUR A. Proteinase-like activity in the cytotoxic factor produced by T cells during dengue virus infection, 32
KILSHAW P.J. & BAKER K.C. A new antigenic determinant on intra-epithelial lymphocytes and its association with CD45, 160
KIM Y.T., DEBLASIO T., THORBECKE G.J., WEKSLER M.E. & SISKIND G.W. Production of auto-anti-idiotype antibody during the normal immune response. XIV. Evidence for the antigen-independent operation of the idiotype network, 191
KIMOTO M., SEKI K., MATSUNAGA M. & MINETA T. Unique mixed lymphocyte-stimulating determinants in E_{α}^{d} gene-introduced C57BL/6 transgenic mice, 154
KING S.L., MCNERNEY R., WHITLEY G. ST J. & JOHNSTONE A.P. Differential role for ADP-ribosylation in gene expression during the activation of T lymphocytes by various stimuli, 258
KIRBY J.A., FORSYTHE J.L.R., PROUD G. & TAYLOR R.M.R. Renal allograft rejection: possible involvement of lymphokine-activated killer cells, 62
KISHIHARA J. *see* OHGA S.
KLEINMAN R.E. *see* HARMATZ P.R.
KNIGHT S.C. *see* MACATONIA S.E.
KOCH F., HAAG F., KASHAN A. & THIELE H.-G. Construction of a rat T-cell hybridoma cDNA expression library and isolation of a cDNA clone for the rat T-cell differentiation marker RT6.2, 344
KOENDERMAN L. & BRUIJNZEEL P.L.B. Increased sensitivity of the chemoattractant-induced chemiluminescence in eosinophils isolated from atopic individuals, 534
KOLTAI M. *see* MANDI Y.
KÖNIG B. *see* KÖNIG W.
KÖNIG W., KÖNIG B., SCHEFFER J., HACKER J. & GOEBEL W. Role of cloned virulence factors (mannose-resistant haemagglutination, mannose-resistant adhesins) from uropathogenic *Escherichia coli* strains in the release of inflammatory mediators from neutrophils and mast cells, 401
KUBAK B.M. *see* ZELLER J.M.
KUMPEL B.M. *see* HADLEY A.G.

LAMI J.L. *see* MOORE T.C.
LANGER D. *see* MUES B.
LAROCCA L.M. *see* VALITUTTI S.
LAWSON C.M., O'DONOGHUE H. & REED W.D. The role of T cells in mouse cytomegalovirus myocarditis, 132
LEHNER T., HARON J., BERGMEIER L., MEHLERT A., BEARD R., DODD M., MIELNIK B. & MOORE S. Local oral immunization with synthetic peptides induces a dual mucosal IgG and salivary IgA antibody response and prevents colonization of *Streptococcus mutans*, 419
LEIJH P.C.J. *see* GORTER A.
LIN F.R., HSU H.S., MUMAW V.R. & MONCURE C.W. Confirmation of destruction of salmonellae within murine peritoneal exudate cells by immunocytochemical technique, 394
LIN Y. *see* PATEK P.Q.
LINK S. *see* CHAN W.C.

MACATONIA S.E., PATTERSON S. & KNIGHT S.C. Suppression of immune responses by dendritic cells infected with HIV, 285
MCBRIDE W.H. *see* ECONOMOU J.S.
MCCULLAGH P. Inability of fetal skin to induce allograft tolerance in fetal lambs, 489
MCDONALD A.J., HAIG D.M., BAZIN H., MCGUIGAN A.C., MOQBEL R. & MILLER H.R.P. IgE-mediated release of rat mast cell protease II, β-hexosaminidase and leukotriene C_4 from cultured bone marrow-derived rat mast cells, 414
MCDONALD P.J. *see* GORDON D.L.
MCGREGOR A.M. *see* BANGA J.P.
MCGUIGAN A.C. *see* MACDONALD, A.J.
MACKENZIE A.R. *see* QUINT D.J.
MACKENZIE C.D., TAYLOR P.M. & ASKONAS B.A. Rapid recovery of lung histology correlates with clearance of influenza virus by specific $CD8^+$ cytotoxic T cells, 375
MCKENZIE J.L., PRICKETT T.C.R. & HART D.N.J. Human dendritic cells stimulate allogeneic T cells in the absence of IL-1, 290
MCKENZIE J.L. *see* PEACH S.F.
MCLACHLAN S.M. *see* FUKUMA N.
MCNAMEE L.A. *see* QUINT D.J.
MCNERNEY R. *see* KING S.L.
MAEDA K. *see* MIYATA T.
MAGGIANO N. *see* VALITUTTI S.
MAJEED H.A. *see* BAHR G.M.
MANDI Y., FARKAS G., KOLTAI M., BELADI I., BRAQUET P. & MENCIA-HUERTA J.M. The effect of the platelet-activating factor antagonist, BN 52021, on human natural killer cell-mediated cytotoxicity, 370
MARSHALL-CLARKE S. *see* COX D.A.
MATHIESEN T., BROLIDEN P.-A., ROSEN J. & WAHREN B. Mapping of IgG subclass and T-cell epitopes on HIV proteins by synthetic peptides, 453
MATHIESEN T., CHIODI F., BROLIDEN P.-A., ALBERT J., HOUGHTEN R.A., UTTER G., WAHREN B. & NORRBY E. Analysis of a subclass-restricted HIV-1 gp41 epitope by omission peptides, 1
MATHUR A. *see* KHANNA M.
MATHUR A. *see* RIZVI N.
MATSUMOTO K. *see* OHGA S.
MATSUNAGA M. *see* KIMOTO M.
MATSUZAKI G. *see* OHGA S.
MAUDSLEY D.J. & MORRIS A.G. Regulation of IFN-γ-induced host cell MHC antigen expression by Kirsten MSV and MLV. I. Effects on class I antigen expression, 21
MAUDSLEY D.J. & MORRIS A.G. Regulation of IFN-γ-induced host cell MHC antigen expression by Kirsten MSV and MLV. II. Effects on class II antigen expression, 26
MAWLE A.C. *see* CHAN W.C.
MAZZA M.M. & RETEGUI L.A. Monoclonal antibodies to human growth hormone induce an allosteric conformational change in the antigen, 148
MEHLERT A. *see* LEHNER T.
MELANCON-KAPLAN J. *see* GODFREY H.P.
MENCIA-HUERTA J.M. *see* MANDI Y.
MENDEZ E. *see* FRANCO F.J.
METCALF D. *see* GEARING A.J.
MIELNIK B. *see* LEHNER T.
MILLER E.S. & ORME I.M. Patterns of IL-2 production and utilization in mice heavily infected with *Mycobacterium bovis* BCG reflect the phase of protective immunity being expressed, 221
MILLER H.R.P. *see* MACDONALD A.J.
MILLSUM M.J. *see* FLORES-ROMO L.
MINETA T. *see* KIMOTO M.
MIYATA T., ISOBE K., INAGI R., TAGUCHI R., IKEZAWA H., TAKAI I., FUJITA Y., IWAMOTO T., HASEGAWA T., ODA O., YAMANAKA N., SUGIYAMA S., MAEDA K., YAMADA K. & NAKASHIMA I. Rat mesangial cells actively produce phosphatidylinositol-anchored Thy-1, 531
MOELLER J. *see* HULTNER L.
MONCURE C.W. *see* LIN F.R.
MOORE J.G. *see* GEARING A.J.
MOORE S. *see* LEHNER T.
MOORE T.C., LAMI J.L. & SPRUCK C.H. Substance P increases lymphocyte traffic and lymph flow through peripheral lymph nodes of sheep, 109
MOQBEL R. *see* MACDONALD A.J.
MORGAN B.P. *see* SCOLDING N.J.
MORRIS A.G. & TOMKINS P.T. Interactions of interferons in the induction of histocompatibility antigens in mouse fibroblasts and glial cells, 537
MORRIS A.G. *see* MAUDSLEY D.J.
MORTON D.L. *see* ECONOMOU J.S.
MUES B., LANGER D., ZWADLO G. & SORG C. Phenotypic characterization of macrophages in human term placenta, 303
MULLER H.K. *see* HALLIDAY G.M.
MUMAW V.R. *see* LIN F.R.
MUSIANI P. *see* VALITUTTI S.

NAKASHIMA I. *see* MIYATA T.
NAOR D. *see* TARCIC N.
NATSUAKI M. *see* YAMASHITA N.
NICHOLSON J.K. *see* CHAN W.C.
NICOLA N.A. *see* GEARING A.J.
NIKOLOUTSOPOULOS A. *see* ZOLA H.
NILSSON L.-A. *see* CARLSTEN H.
NIMMO J.C. *see* PEACH S.F.
NOMOTO K. *see* OHGA S.

NORRBY E. *see* MATHIESEN T.
NYE K.E. *see* BAHR G.M.

OBEN J.A., WALLACE G.R., CHAIN B.M. & FOREMAN J.C. The stimulation of IL-2 production by anti-rheumatic drugs, 328
OCHS H.D. *see* DOBRINA A.
ODA O. *see* MIYATA T.
O'DONOGHUE H. *see* LAWSON C.M.
OE P.L. *see* VAN BRONSWIJK H.
OHGA S., YOSHIKAI Y., MATSUMOTO K., KISHIHARA J., MATSUZAKI G. & NOMOTO K. Abnormal rearrangements of T-cell receptor genes occur in long-term cultured bone marrow cells of lpr/lpr mice, 543
OKSENBERG D., OKSENBERG J.R., SAKAI K., PEROUTKA S.J. & STEINMAN L. Cyclic adenosine 3',5'-monophosphate metabolism in activated T-cell clones, 484
OKSENBERG J.R. *see* OKSENBERG D.
ONOUE K. *see* KAWAKAMI K.
O'REILLY K.L. & SPLITTER G.A. Monoclonal antibodies to ovine SBU-T8 and SBU-T6 bind analogues molecules on bovine lymphocytes, 176
OPDEBEECK J.P., WONG J.Y.M. & DOBSON C. Hereford cattle protected against *Boophilus microplus* with antigens purified by immunoaffinity chromatography from larval and adult ticks, 388
ORME I.M. *see* MILLER E.S.

PABST R. *see* RÖTHKOTTER H.-J.
PETERSEN V.B. *see* FUKUMA N.
PHILLIPS R.A. *see* ANDERSON S.K.
PLAYFAIR J.H.L. *see* HEATH A.W.
POWELL L.W. *see* GOOD M.F.
PRICE M.R. *see* AUSTIN E.B.
PRICKETT T.C.R. *see* MCKENZIE J.L.
PROUD G. *see* KIRBY J.A.

QUINT D.J., BOLTON E.J., MCNAMEE L.A., SOLARI R., HISSEY P.H., CHAMPION B.R., MACKENZIE A.R. & ZANDERS E.D. Functional and phenotypic analysis of human T-cell clones which stimulate IgE production *in vitro*, 68

REED W.D. *see* LAWSON C.M.
REES R.C. *see* TEZABWALA B.U.
REES SMITH B. *see* FUKUMA N.
RENDERS N.H.M. *see* VAN BRONSWIJK H.
RETEGUI L.A. *see* MAZZA M.M.
RHOADES K. *see* ECONOMOU J.S.
RICCI M. *see* ALMERIGOGNA F.
RICCI R. *see* VALITUTTI S.
RICE J.L. *see* GORDON D.L.
RICHARDS C.E. *see* HEATH A.W.
RIZVI N., CHATURVEDI U.C. & MATHUR A. Obligatory role of macrophages in dengue virus antigen presentation to B lymphocytes, 38
ROBINS R.A. *see* AUSTIN E.B.
RODER J.C. *see* ANDERSON S.K.
ROMAGNANI S. *see* ALMERIGOGNA F.
ROOK G. *see* FILLEY E.
ROOK G.A.W. *see* BAHR G.M.
ROOK J. *see* MATHIESEN T.
ROTHKÖTTER H.-J. & PABST R. Lymphocyte subsets in jejunal and ileal Peyer's patches of normal and gnotobiotic minipigs, 103

SAGAMI S. *see* YAMASHITA N.
SAKAI K. *see* OKSENBERG D.
SAKANO T. *see* TANIGUCHI H.
SAVION S., ITOH T., HERTOGS H. & SHOHAM J. Contact-mediated maturational effects of thymic stromal cells on murine thymocytes in culture, 496
SCHEFFER J. *see* KÖNIG W.
SCHRÖDER J.-M. *see* FOSTER S.J.
SCHWARTZ B.R. *see* DOBRINA A.
SCOLDING N.J., HOUSTEN W.A.J., MORGAN B.P., CAMPBELL A.K. & COMPSTON D.A.S. Reversible injury of cultured rat oligodendrocytes by complement, 441
SEKI K. *see* KIMOTO M.
SHAPIRO D.N., VARANI J. & GINSBURG I. Activation of a murine T-cell hybridoma by cationized bacteria, 478
SHINBORI T. *see* KAWAKAMI K.
SHOHAM J. *see* SAVION S.
SISKIND G.W. *see* KIM Y.T.
SOLARI R. *see* QUINT D.J.
SORG C. *see* MUES B.
SORIANO F. *see* FRANCO F.J.
SPLITTER G.A. *see* O'REILLY K.L.
SPRUCK C.H. *see* MOORE T.C.
SRINIVASA B.R. *see* KHANNA M.
STEFANOVIC H., IZAGUIRRE C. & FILION L.G. The role of $CD4^+$ lymphocytes in the activation of non-specific suppressor cells by antigen, 339
STEINMAN L. *see* OKSENBERG D.
STRICKLAND F.M., CRONKHITE R.I. & CERNY J. Regulation of idiotope expression. II. The phenotypic diversity of T15 idiotype-bearing antibody to phosphorylcholine in response to T-dependent and T-independent antigens, 8
STROBEL S. *see* PENG H.-J.
STUURMAN M.E. *see* BOGERS W.M.J.M.
SUGIYAMA S. *see* MIYATA T.
SWAMINATHAN K.R. *see* KHANNA M.

TAGUCHI R. *see* MIYATA T.
TAKAI I. *see* MIYATA T.
TANIGUCHI H., SAKANO T., HAMASAKI T., KASHIWA H. & UEDA K. Effect of protein kinase *C* inhibitor (H-7) and calmodulin antagonist (W-7) on pertussis toxin-induced IL-1 production by human adherent monocytes. Comparison with lipopolysaccharide as a stimulator of IL-1 production, 210
TARCIC N., DAVID C.S. & NAOR D. Auto-delayed-type hypersensitivity induced in immunodeficient mice with modified self-antigens. V. Cellular autoreactivity directed against self-H-$2D^d$ subregion mediates the inflammatory response, 184
TARKOWSKI A. *see* CARLSTEN H.
TAYLOR M.G. *see* VIGNALI D.A.A.
TAYLOR P.M. *see* MACKENZIE C.D.
TAYLOR R.M.R. *see* KIRBY J.A.
TEZABWALA B.U., JOHNSON P.M. & REES R.C. Inhibition of pregnancy viability in mice following IL-2 administration, 115
THIELE H.-G. *see* KOCH F.
THOMSON A.W. *see* BRANNAN L.R.
THORBECKE G.J. *see* KIM Y.T.
TOMKINS P.T. *see* MORRIS A.G.
TOMLINSON R.W.S. *see* BANGA J.P.
TURK J.L. *see* WILCOX C.E.
TURNER M.W. *see* PENG H.-J.

UEDA K. *see* TANIGUCHI H.
UTTER G. *see* MATHIESEN T.

VALITUTTI S., CARBONE A., CASTELLINO F., MAGGIANO N., RICCI R., LAROCCA L.M. & MUSIANI P. The expression of functional IL-2 receptor on activated macrophages depends on the stimulus applied, 44
VAN BRONSWIJK H., VERBRUGH H.A., HEEZIUS H.C.J.M., RENDERS N.H.M., FLEER A., VAN DER MEULEN J., OE P.L. & VERHOEF J. Heterogeneity in opsonic requirements of *Staphylococcus epidermidis*: the relative importance of surface hydrophobicity, capsules and slime, 81
VAN DAMME J. *see* WILLEMS J.
VAN DEN BARSELAAR M.T. *see* GORTER A.
VAN DER MEULEN J. *see* VAN BRONSWIJK H.
VAN DER SLUYS M.E. *see* GORTER A.
VAN ES L.A. *see* BOGERS W.M.J.M.
VAN ES L.A. *see* GORTER A.
VAN HEIJST J. *see* VAN LIER R.
VAN LIER R., BLOEMENA E., BROUWER M., VAN HEIJST J., WEINREICH S. & AARDEN L. Studies on the monocyte dependence of T-cell proliferation induced by monoclonal antibodies directed against regions I and II of the CD2 antigen, 333
VAN SNICK J. *see* HÜLTNER L.

VARANI J. *see* SHAPIRO D.N.
VERBRUGH H.A. *see* VAN BRONSWIJK H.
VERHOEF J. *see* VAN BRONSWIJK H.
VIGNALI D.A.A., CROCKER P., BICKLE Q.D., COBBOLD S., WALDMANN H. & TAYLOR M.G. A role for $CD4^+$ but not $CD8^+$ T cells in immuniy to *Schistosoma mansoni* induced by 20 krad-irradiated and Ro 11-3128-terminated infections, 466
VOGEL L. & HAUSTEIN D. Immunoglobulin subunits of murine B lymphocytes: structure and associations with other membrane proteins, 251

WAHREN B. *see* MATHIESEN T.
WALDMANN H. *see* VIGNALI D.A.A.
WALKER W.A. *see* HARMATZ P.R.
WALLACE G.R. *see* OBEN J.A.
WATERS M. *see* FILLEY E.
WAYNE STREILEIN J. *see* WILLIAMSON J.S.P.
WEINREICH S. *see* VAN LIER R.
WEKSLER M.E. *see* KIN Y.T.
WELLE M. *see* HÜLTNER L.
WHITLEY G. STJ. *see* KING S.L.
WICK C.J. *see* KAY J.E.
WILCOX C.E., HEALEY D.G., BAKER D., WILLOUGHBY D.A. & TURK J.L. Presentation of myelin basic protein by normal guinea-pig brain endothelial cells and its relevance to experimental allergic encephalomyelitis, 435
WILKINSON P.C. & ISLAM L.N. Recombinant IL-4 and IFN-γ activate locomotor capacity in human B lymphocytes, 237
WILLEMS J., JONIAU M., CLINIQUE S. & VAN DAMME J. Human granulocyte chemotactic peptide (IL-8) as a specific neutrophil degranulator: comparison with other monokines, 540
WILLIAMSON J.S.P., BRADLEY D. & WAYNE STREILEIN J. Immunoregulatory properties of bone marrow-derived cells in the iris and ciliary body, 96
WILLOUGHBY D.A. *see* WILCOX C.E.
WONG J.Y.M. *see* OPDEBEECK J.P.
WOO J. *see* BRANNAN L.R.

YAMADA K. *see* MIYATA T.
YAMANAKA N. *see* MIYATA T.
YAMASHITA N., NATSUAKI M. & SAGAMI S. Flare-up reaction on murine contact hypersensitivity. I. Description of an experimental model: rechallenge system, 365
YE G. *see* CHAN W.C.
YOSHIKAI Y. *see* OHGA S.
YOUSOF A.M. *see* BAHR G.M.

ZANDERS E.D. *see* QUINT D.J.
ZELLER J.M., KUBAK B.M. & GEWURZ H. Binding sites for C-reactive protein on human monocytes are distinct from IgG Fc receptors, 51
ZOLA H. & NIKOLOUTSOPOULOS A. Effect of recombinant human tumour necrosis factor beta (TNFβ) on activation, proliferation and differentiation of human B lymphocytes, 231
ZWADLO G. *see* MUES B.

Subject Index

Activation antigen:
on B cells, 351
ADP-ribosylation:
differential role in gene expression during T-cell activation, 258
Allergic arthritis:
induced by cationic proteins, 447
Allograft tolerance:
failure of fetal skin to induce, 489
Anti-idiotypic antibody, human monoclonal:
to tumour-associated antibody, 525
Antigen presentation, by CNS endothelial cells:
in EAE, 435
Autoantibodies:
thyroid microsomal/thyroid peroxidase cross-reactivity, 197
Autoantibodies, human:
to thyroglobulin, 129

B lymphocytes, human:
differential responsiveness to phorbol ester and calcium ionophore, 359
B lymphocytes, murine:
activation by *Echinococcus granulosus*, 16
immunoglobulin subunits of, 251
Bone marrow cells :
iris and ciliary body, immunoregulatory properties, 96
Boophilus microplus:
cattle immunity to, using larval and adult tick antigen, 388

C-reactive protein:
binding sites on human monocytes, 51
CD2 and cytolytic activity, 56
CD2, antibodies to:
monocyte dependence of T-cell proliferation induced by, 333
$CD4^+$ cells:
role in immunity to *S. mansoni*, 466
$CD4^+$ lymphocytes:
role in activation of non-specific suppression, 339
CD45: association with new antigenic determinant on intra-epithelial lymphocytes, 160
CDw44, human:
composition and tissue distribution, 167
Chemiluminescence:
in eosinophils from atopic individuals, 534
Class I MHC expression, IFN-γ-induced:
regulation by MSV and MLV, 21
Class II MHC expression, IFN-γ-induced:
regulation by MSV and MLV, 26
Clearance kinetics:
of aggregated IgA in rats, 274
Complement:
reversible injury to oligodendrocytes, 441
Conformational change in antigen:
induced by monoclonal antibody, 148
Contact sensitivity, murine:
flare-up reaction, 365
CR3 expression:
and phagocytosis, 460
Cross-reactivity:
of thyroid microsomal/thyroid peroxidase autoantibodies, 197
Cyclic AMP metabolism:
in activated T-cell clones, 484
Cyclosporin A:
anti-schistosomal activity, 382

Cytomegalovirus myocarditis:
role of T cells, 132

Delayed-type hypersensitivity:
self-reactive, 184
Dendritic cells, HIV-infected:
suppression of immune responses, 285
Dendritic cells, human:
stimulation of allogeneic T cells in absence of IL-1, 290
Dengue virus:
obligatory role of macrophages for antigen presentation, 38
Dengue virus infection:
proteinase-like factor from T cells, 32

Eosinophils:
from atopic individuals, chemoattractant-induced chemiluminescence, 534
Experimental allergic encephalomyelitis:
antigen presentation by CNS endothelial cells, 435

Factor H, membrane associated:
co-factor activity for factor I cleavage of C3b, 553
Flare-up reaction:
in murine contact sensitivity, 365

Gc alleles:
and rheumatic fever, 126

HIV proteins:
mapping of IgG subclass and T-cell epitopes by synthetic peptides, 453
HIV-1 gp41 epitope:
subclass restricted, analysis by omission peptides, 1
HIV-infected dendritic cells:
suppression of immune responses, 285

Idiotype expression:
regulation, 8
Idiotype network:
antigen-independent operation, 191
IgA nephropathy, in mice:
defective handling of IgA aggregates, 308
IgE-mediated release of mediators from rat mast cells, 414
IgE receptor:
low affinity, soluble fragments, MIF activity, 547
IgE synthesis, human:
regulation, 68
IL-1 and 6:
synergistic effects on T-cell proliferation, 314
IL-1 levels in transgenic GN-CSF mice, 219
IL-1 production:
effect of protein kinase *C* inhibitor and calmodulin antagonist, 210
IL-2:
inhibition of pregnancy viability, 115
IL-2 absorption by BCG-immune T cells, 221
IL-2 production:
by anti-rheumatic drugs, 328
IL-2 receptor:
expression on activated macrophages, 44
IL-2, IL-4 co-modulation of generation of cytotoxic T cells, 225
IL-4, human:
B-cell growth-promoting activity, 244

IL-4, recombinant, and IFN-γ activate locomotor capacity in human B cells, 237
IL-6:
production of murine mast cells, 408
Interferon-gamma:
as an adjuvant in immunocompromised mice, 520
Interferons:
and regulation of histocompatability antigens, 537
Intestinal adaptation:
during lactation, 92
Intra-epithelial lymphocytes:
new antigenic determinants, association with CD45, 160

Lactation:
intestinal adaptation during, 92
Langerhans' cells:
protection from retinoic acid, 298
Lymphocyte subsets:
in pig Peyer's patches, 103
Lymphocyte traffic and lymph flow: substance P increases, 109
Lymphokine-activated killer cells:
involvement in renal allograft rejection, 62

Macrophage agglutination factor:
relationshp to fibronectins, 321
Macrophages, in human term placenta:
phenotypic characterization, 303
Mast cells, murine:
production of IL-6, 408
Mesangial cells:
production of phosphagidylinositol-anchored Thy-1, 531
Monoclonal antibodies to ovine T8 and T6:
reaction with bovine T8 and T6, 176
Monoclonal anti-D antibodies:
promotion of metabolic response of monocytes, 550
Monocyte-derived neutrophil-activating peptide:
inflammatory effects, 181
Monokine-induced neutrophil degranulation, 540

Nature cytotoxicity:
and tumour necrosis factor release, 509
Neutrophil–endothelial adherence:
mechanisms of, 502
NK cytotoxicity:
role of platelet-activating factor, 370
Nutrition and immunity:
in old age, 141

Oestradiol:
suppression of DTH in NZB/W F1 mice, 205
Opsonic antibody:
against *H. influenzae*, 87
Opsonic requirements:
of *Staphylococcus epidermidis*, 81
Oral hyposensitization:
kinetics, 425
Oral immunization, with synthetic peptides:
induction of mucosal and salivary IgA antibody, 419

Peyer's patches, pig:
lymphocyte subsets, 103
Platelet-activating factor:
role of NK cytotoxicity, 370
Proliferative responses, in *M. leprae* patients and controls: use of antigen-bearing nitrocellulose particles, 75
Proteinase-like activity:
from T cells during dengue virus infection, 32
Prothymosin:
synthesis and secretion by thymocytes, 263

Renal allograft rejection:
involvement of LAK cells, 62
Respiratory burst, human PMN:
complement-mediated IgA-induced, 120
Rheumatic fever:
susceptibility to, and Gc alleles, 126

Salmonellae:
intracellular destruction, 394
Self-reactive delayed-type hypersensitivity, 184
Serine protease genes: CTL-derived, murine, 269
Stromal cells, thymic:
maturational effects on thymocytes, 496
Substance P;
increase lymphocyte traffic lymph flow, 109
Synthetic peptides:
mapping of HIV epitopes, 453
Synthetic peptides, oral immunization:
induction of mucosal and salivary IgA antibody, 419

T-cell activation:
by cationized bacteria, 478
T-cell differentiation marker, rat, RT6.2:
cDNA clone, 344
T-cell receptor genes:
rearrangements in lpr mice, 543
T-cell receptor, human:
C-beta-2 locus, molecular genotypes, 135
T cells:
influence on idiotype network, 191
T cytotoxic cells:
and lung histology in influenza, 375
T-lymphocyte activation:
inhibition by FK-506, 473
TNF:
production by IL-2-activated macrophages, 514
Transgenic GM-CSF mice:
IL-1 levels, 219
Transgenic mice, E_{α}^{d}:
unique mixed lymphocyte-stimulating determinants, 154
Tumour necrosis factor:
and natural cytotoxicity, 509
Tumour necrosis factor β:
effects on B-cell activation, 231

Virulence factors, from *E. coli*:
role in release of inflammatory mediators, 401